



Certificate of Analysis

Sample: KN30524006-005
Harvest/Lot ID: BDSRPR042823
Batch#: 04-28-23
Batch Date: 04/28/23
Sample Size Received: 60 ml
Retail Product Size: 60 ml
Ordered : 05/18/23
Sampled : 05/18/23
Completed: 06/16/23

PASSED

Page 1 of 5

Jun 16, 2023 | Bad Distro

465 Paul Rd
Rochester, NY, 14624, US




PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Potency

PASSED



Total THC

0.2217%

Total THC/Bottle : 192.879 mg



Total CBD

0.1172%

Total CBD/Bottle : 101.964 mg



Total Cannabinoids

0.3389%

Total Cannabinoids/Bottle : 294.843 mg

%	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	D10-THC	CBC	THCA
mg/ml	ND	<0.01	ND	<0.01	0.1172	<0.01	<0.01	0.2217	<0.01	ND	<0.01	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	ND	<0.145	ND	<0.145	1.6994	<0.145	<0.145	3.2146	<0.145	ND	<0.145	ND

Analyzed by:
2657

Weight:
0.2072g

Extraction date:
05/24/23 09:46:55

Extracted by:
2837

Analysis Method : SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100 , THCA: ± 0.124 , TOTAL THC ± 0.112 . These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor $k=2$ for a normal distribution.

Analytical Batch : KN003817POT
Instrument Used : E-SHI-008

Reviewed On : 05/25/23 10:40:00
Batch Date : 05/24/23 08:11:14

Dilution : N/A

Reagent : 122922.10; 100422.02; 051023.01; 051723.R01; 052223.R34; 102722.01

Consumables : 301011028; 22/04/01; 220725; 230105059D; 239146; 947B9291.271; GD210005; 1350331; 6121219; 600054; IP250.100

Pipette : E-VWR-120

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Revision: #2

This revision supersedes any and all previous versions of this document.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

06/16/23

Signed On



Certificate of Analysis

PASSED


Bad Distro

 465 Paul Rd
 Rochester, NY, 14624, US
 Telephone: (585) 370-4669
 Email: orders@baddistribution.com

 Sample : KN30524006-005
 Harvest/Lot ID: BDSRPR042823
 Batch# : 04-28-23
 Sampled : 05/18/23
 Ordered : 05/18/23

 Sample Size Received : 60 ml
 Completed : 06/16/23 Expires: 06/16/24

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND	PRALLETHRIN	0.008	ppm	0.4	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND	PROPICONAZOLE	0.007	ppm	1	PASS	ND
ACEQUINOCYL	0.038	ppm	2	PASS	ND	PROPOXUR	0.008	ppm	0.1	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND	PYRETHRINS	0.002	ppm	1	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND	PYRIDABEN	0.007	ppm	3	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND	SPINETORAM	0.004	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	3	PASS	ND	SPIROMESIFEN	0.009	ppm	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND	SPIROTETRAMAT	0.009	ppm	3	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND	SPIROXAMINE	0.006	ppm	0.1	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND	TEBUCONAZOLE	0.009	ppm	1	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND	THIACLOPRID	0.008	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	1	PASS	ND	THIAMETHOXAM	0.009	ppm	1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	3	PASS	ND	TOTAL SPINOSAD	0.009	ppm	3	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.009	ppm	3	PASS	ND
CLOFENTEZINE	0.006	ppm	0.5	PASS	ND	<div>Analyzed by: 2803Weight: 1.0099gExtraction date: 06/13/23 13:55:48Extracted by: 2803</div> <div>Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN</div> <div>Analytical Batch : KN003874PES</div> <div>Instrument Used : E-SHI-125</div> <div>Running on : N/A</div> <div>Dilution : 0.01</div> <div>Reagent : 010523.R11; 030723.R19; 052623.R03; 051923.R05; 122322.R26; 101722.04; 011723.04; 032221.01</div> <div>Consumables : 302110210; K130252; 22/04/01; 220725; 2126780; 251760; 201123-058; 211214634-D; 239146; 94789291.271; GD220003; 0000257576; 1300.062</div> <div>Pipette : E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry.</div> <div>*Based on FL action limits.</div>					
COUMAPHOS	0.009	ppm	0.1	PASS	ND						
DAMINOZIDE	0.006	ppm	0.1	PASS	ND						
DIAZANON	0.006	ppm	0.2	PASS	ND						
DICHLORVOS	0.014	ppm	0.1	PASS	ND						
DIMETHOATE	0.009	ppm	0.1	PASS	ND						
DIMETHOMORPH	0.009	ppm	3	PASS	ND						
ETHOPROPHOS	0.007	ppm	0.1	PASS	ND						
ETOFENPROX	0.009	ppm	0.1	PASS	ND						
ETOXAZOLE	0.007	ppm	1.5	PASS	ND						
FENHEXAMID	0.005	ppm	3	PASS	ND						
FENOXYCARB	0.007	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.006	ppm	2	PASS	ND						
FIPRONIL	0.008	ppm	0.1	PASS	ND						
FLONICAMID	0.014	ppm	2	PASS	ND						
FLUDIOXONIL	0.011	ppm	3	PASS	ND						
HEXYTHIAZOX	0.009	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.005	ppm	3	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.009	ppm	2	PASS	ND						
METALAXYL	0.008	ppm	3	PASS	ND						
METHIOCARB	0.008	ppm	0.1	PASS	ND						
METHOMYL	0.009	ppm	0.1	PASS	ND						
MEVINPHOS	0.001	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.006	ppm	3	PASS	ND						
NALED	0.023	ppm	0.5	PASS	ND						
OXAMYL	0.009	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.007	ppm	0.1	PASS	ND						
PERMETHRINS	0.008	ppm	1	PASS	ND						
PHOSMET	0.009	ppm	0.2	PASS	ND						
PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	ND						

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson
 Lab Director

 State License # n/a
 ISO Accreditation # 17025:2017


 Signature

06/16/23

Signed On



Certificate of Analysis

PASSED

Bad Distro

 465 Paul Rd
 Rochester, NY, 14624, US
 Telephone: (585) 370-4669
 Email: orders@baddistribution.com

 Sample : KN30524006-005
 Harvest/Lot ID: BDSRPR042823
 Batch# : 04-28-23
 Sampled : 05/18/23
 Ordered : 05/18/23

 Sample Size Received : 60 ml
 Completed : 06/16/23 Expires: 06/16/24

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	100	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	ND
ETHYL ETHER	10	ppm	500	PASS	ND
1,1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	8.3	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND

Analyzed by: 138, 3050	Weight: 0.02316g	Extraction date: 06/14/23 10:12:09	Extracted by: 138
---------------------------	---------------------	---------------------------------------	----------------------

 Analysis Method : SOP.T.40.041.TN
 Analytical Batch : KN003871SOL
 Instrument Used : E-SHI-106
 Running on : N/A

 Reviewed On : 06/14/23 16:34:03
 Batch Date : 06/13/23 09:35:25

 Dilution : N/A
 Reagent : N/A
 Consumables : R2017.167; G201-167
 Pipette : N/A

Residual solvents analysis is performed using Gas Chromatography / Mass Spectrometry. *Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Revision: #2 This revision supersedes any and all previous versions of this document.

Sue Ferguson
 Lab Director

 State License # n/a
 ISO Accreditation # 17025:2017


 Signature

06/16/23

Signed On



Certificate of Analysis

PASSED



Bad Distro

 465 Paul Rd
 Rochester, NY, 14624, US
 Telephone: (585) 370-4669
 Email: orders@baddistribution.com

 Sample : KN30524006-005
 Harvest/Lot ID: BDSRPR042823
 Batch# : 04-28-23
 Sampled : 05/18/23
 Ordered : 05/18/23

 Sample Size Received : 60 ml
 Completed : 06/16/23 Expires: 06/16/24

Page 4 of 5

Microbial						Mycotoxins					
	PASSED						PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02
Analized by: 2805	Weight: 1.0212g	Extraction date: 06/13/23 12:02:47	Extracted by: 2805			Analized by: 2803	Weight: 1.0099g	Extraction date: 06/13/23 13:55:48	Extracted by: 2803		
Analysis Method : SOP.T.40.056C, SOP.T.40.041 LOD is 1 CFU						Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN					
Analytical Batch : KN003872MIC			Reviewed On : 06/16/23 17:22:29			Analytical Batch : KN003875MYC			Reviewed On : 06/14/23 12:35:40		
Instrument Used : E-HEW-069			Batch Date : 06/13/23 09:49:43			Instrument Used : E-SHI-125			Batch Date : 06/13/23 13:56:00		
Running on : N/A						Running on : N/A					
Dilution : N/A						Dilution : 0.01					
Reagent : 101822.09; 061623.01; 010923.06; 072722.06						Reagent : 010523.R11; 030723.R19; 052623.R03; 051923.R05; 122322.R26; 101722.04; 011723.04; 032221.01					
Consumables : 22/04/01; 251773; 242429; 2DAX30621; P7528255; 41218-146C4-146C; 263989; 93825; 007109; n/a; 247040; 0150210						Consumables : 302110210; K130252J; 22/04/01; 220725; 21267B0; 251760; 201123-058; 211214634-D; 239146; 947B9291.271; 0000257576; 1300.062					
Pipette : E-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-THE-052; E-THE-053; E-THE-054; E-BIO-188						Pipette : E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119					
Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. *Based on FL action limits.											

Hg

Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	ND	PASS	0.5
Analized by: 2837, 138	Weight: 0.2595g	Extraction date: 06/15/23 11:46:51	Extracted by: 2837		
Analysis Method : SOP.T.30.082, SOP.T.40.082.TN					
Analytical Batch : KN003880HEA			Reviewed On : 06/15/23 16:33:11		
Instrument Used : E-AGI-084			Batch Date : 06/15/23 09:16:27		
Running on : N/A					
Dilution : N/A					
Reagent : 122922.10; 100422.02; 061323.R04; 050323.R02; 101722.05; 022023.01; 060923.R14; 051523.R39; 031423.R01; 051523.R12; 051723.R03; 051723.R04; 051723.R05; 031623.R02; 041923.R03					
Consumables : 257747; 829C6-829B; 221200; A260422A					
Pipette : E-EPP-081; E-EPP-082					
Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. *Based on FL action limits.					

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Revision: #2 This revision supersedes any and all previous versions of this document.

 Sue Ferguson
 Lab Director

 State License # n/a
 ISO Accreditation # 17025:2017


 Signature

06/16/23

Signed On



Certificate of Analysis

PASSED

Bad Distro

465 Paul Rd
Rochester, NY, 14624, US
Telephone: (585) 370-4669
Email: orders@baddistribution.com

Sample : KN30524006-005
Harvest/Lot ID: BDSRPR042823
Batch# : 04-28-23
Sampled : 05/18/23
Ordered : 05/18/23

Sample Size Received : 60 ml
Completed : 06/16/23 Expires: 06/16/24

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	1	detect/g	ND	PASS	3

Analyzed by: 2805	Weight: 0.5561g	Extraction date: 06/13/23 12:03:16	Extracted by: 2805
----------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : KN003738FIL
Instrument Used : E-AMS-138
Running on : N/A

Reviewed On : 06/16/23 09:48:07
Batch Date : 05/04/23 09:20:35

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is use for inspection.

Signature